


Size 7 to 12



Size 15, 20

Size	Dimensions (mm)												
	A	A ₂	A ₃	B	B ₁	B ₂	H	H ₁	V ₁	E ₁	E ₂	N ₃	S ₂
7	17	7	5.0	24.0	14.5	–	8	6.5	2.0	12	8	2.5	M2
9/M3	20	9	5.5	31.0	20.7	–	10	8.0	2.8	15	10	3.5	M3
9/M2	20	9	5.5	31.0	20.7	–	10	8.0	2.8	15	13	2.5	M2
12	27	12	7.5	34.8	21.6	–	13	10.0	3.3	20	15	3.5	M3
15	32	15	8.5	43.0	27.2	46	16	12.0	4.7	25	20	4.0	M3
20	46	20	8.0	66.0	45.1	69	25	17.5	7.0	38	38	6.0	M4

Size	Weight Runner blocks (g)	Load capacities (N)		Moments (Nm)			
		C ¹⁾ dyn.	C ₀ ¹⁾ stat.	M _t ²⁾ dyn.	M _{t0} ²⁾ stat.	M _L ²⁾ dyn.	M _{L0} ²⁾ stat.
7	9	860	1400	3.1	5.1	1.9	3.2
9/M3	16	1180	2100	5.4	9.6	3.6	6.4
9/M2	16	1180	2100	5.4	9.6	3.6	6.4
12	33	2310	3470	13.7	20.6	7.9	11.8
15	47	4200	6260	31.2	46.3	18.3	27.0
20	177	7900	12230	81.4	126.0	51.7	80.0

1) Calculated values conforming to DIN 636 Part 2

2) Calculated values (based on C, C₀)